



**INSPECTION REPORT**

2050 cust\_id  
NOV 20 2005 1626 insp\_id  
5747 site\_id

**ANIMAL ACTORS INTL INC**

**Customer ID: 2050**

**Certificate: 22-C-0003**

**4 AMERICAN WAY  
GLEN GARDNER, NJ 08826**

**Site: 001**

**ANIMAL ACTORS INTERNATIONAL**

**Inspection**

**Type: ROUTINE INSPECTION**

**Date: NOV-15-2005**

**2.40**

**ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).**

(a) Each dealer or exhibitor shall have an attending veterinarian who shall provide adequate veterinary care to its animals in compliance with this section.

(1) Each dealer and exhibitor shall employ an attending veterinarian under formal arrangements. In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises of the dealer or exhibitor; and

(2) Each dealer and exhibitor shall assure that the attending veterinarian has appropriate authority to ensure the provision of adequate veterinary care and to oversee the adequacy of other aspects of animal care and use.

Facility has a new veterinarian but a written program has yet to be completed. A new program of veterinary care must be completed for all of the covered species present at the facility.

TO BE CORRECTED BY: DECEMBER 15, 2005

**3.125 ( a )**

**FACILITIES, GENERAL.**

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

There is a bent top rail on the fence of the female white deer enclosure. This top rail is severely bent and no longer secured the corner post. This damaged top rail must be replaced so that the enclosure remains structurally sound.

TO BE CORRECTED BY: MARCH 15, 2006

**3.131 ( a )**

**SANITATION.**

(a) Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors.

**Prepared By:**

*Karla Wills*  
KARLA WILLS, A C I , USDA, APHIS, Animal Care

**Title:**

ANIMAL CARE INSPECTOR, Inspection ID: 1014

**Received By:**

(b)(6), (b)(7)c

**Title:**

**Date:**

NOV-15-2005

**Date:**

NOV-15-2005



2050 cust\_id

111626 insp\_id

5747 site\_id

**INSPECTION REPORT**

The serval's chain link enclosure has several areas of heavy urine scale; along the right side, the front gate and rear wall. This urine has started to deteriorate the chain link fabric of the enclosure. The interior wall and chain link must be cleaned on a more frequent basis to prevent such accumulations.

TO BE CORRECTED BY: NOVEMBER 24, 2005

**ANIMAL INVENTORY**

11 DOGS  
1 WOLF HYBRID  
13 CATS  
1 SERVAL  
1 PORCUPINE  
1 SKUNK  
2 POT BELLIED PIGS  
3 WHITE TAIL DEER  
1 CAMEL

Prepared By: Karla Wills  
KARLA WILLS, A C I , USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector ID: 1014

Received By: (b)(6), (b)(7)c

Title:

Date:  
NOV-15-2005

Date:  
NOV-15-2005